

Rotating Brushes

- Natural hair bristles for painted surfaces
- Nylon medium brush fiberglass, wood, brick
- 700 PSI maximum
- 8 GPM flow rate

Part	Product
6190	Horse hair 1/4"mpt inlet
6189	Nylon 1/4"mpt inlet
6192	Knuckled horse hair 1/4" fpt
6191	Knuckled nylon 1/4" fpt



Salt & Pepper Brushes

Soft, flagged synthetic fill is an excellent multi-purpose wash brush. For use on windows, cars, vans, trucks, boats, and siding. Clear coat safe.



Part	Size
4190	10" w/bumper
6827	14" no bumper

Hi-Lo Truck Brush



Multi-surface, bi-level head design makes your cleaning job easier
Ultra soft flagged for delicate areas
Chemical and high heat resistant.

Part	Product
3304	10" Green

Brush Handles

With acme threaded tips



Part	Product
2953	2 section 6'-12' fiberglass
6458	1 section 59" fiberglass
1252	Wood Handle 15/16" x 60"

Plastic Siphon Pumps



- 7 GPM
- Fits 2" opening
- 15, 30 & 55 gal drums

Part	Product
1490	White suction tube (Korea)
4117	Heavy duty gray tube

Container Openers



Part	Product
4833	5 Gallon Pail Popper
4583	55 Gallon Drum Wrench
4834	Drum Wrench 3/4" Bung

Water Brooms

High pressure water broom! Connect to pressure washer up to 3000 PSI

Complete Unit Includes:

- Water broom with nozzles
- 59" wand pipe
- High pressure spray gun
- Quick connect on gun inlet
- High pressure nozzle filter
- Side handle
- Twin caster wheels



Part	Product
6604	12" complete kit
6062	12" water broom only w/3 nozzles
1545	12" water broom without nozzles
6605	16" complete kit
6587	16" water broom only w/4 nozzles
6730	16" water broom without nozzles
2215	650135 1/4 meg nozzle



Hammerhead Flat Cleaner

Clean flat surfaces in a percentage of the time. The cleaner glides easily across the surface uniformly cleaning pool decks, sidewalks, garage floors, and more.



- Full 20" cleaning swath
- Rugged ABS cover
- 4000 PSI maximum
- 1000 PSI *minimum*
- 8 GPM maximum
- 180°F. maximum
- 3/8" inlet
- 25° 02 nozzles (2)
- 24 lbs shipping wt.

Part	Product
6537	Cleaner

Part	Product
1709	Replacement Gun
1875	Major swivel repair kit
1922	Minor swivel repair kit
1870	Rotary arm assembly
2868	20" plastic brush w/clips



Surface Spinners

Maximize your pressure washers effectiveness!

Uses the force of your pressure washer to spin spray nozzles at high speeds, which maximizes cleaning on flat surfaces. It produces consistent quality and cuts cleaning time by as much as 66%. It decreases operator fatigue, so it virtually pays for itself in no time at all.

Optional gun and lance can be detached to clean corners
Inset wheels to allow cleaning of edges
Front mounted swivel caster allows easy handling & turning
Two 1/4 meg 15 degree nozzles standard
Three nozzle spinner available

24" Spinner

- Maximum Pressure: 4000 PSI
- Minimum Pressure: 1500 PSI
- Maximum Flow: 8 GPM
- Minimum Flow: 3 GPM
- Maximum Temp. 210°F.
- Maximum Speed: 2000 RPM
- Cleaning Path: 24"
- Approx. Ship Wt: 53 lbs.



30" Spinner



Patented Height adjustment system on the 30" spinner keeps the deck at a constant 3/4" off the ground while raising or lowering spray arm assembly from 3/4" to 2-3/4" to increase or decrease impact. Great for cleaning pressure sensitive surfaces!

Part	Product
3325	24" spinner
3326	30 Spinner



Made in U.S.A.

Sidewinder Features


- High pressure safety trigger
- Heavy duty lightweight aluminum handle
- Heavy duty high pressure swivel with heat treated components (field repairable)
- Self aligned rod ends
- Abrasion resistant covers

2 year warranty

Model 105F

Fixed handle

Custom fuller brush assembly eliminates over spray: indoor and outdoor use.



Model 105C



Collapsible handle for easy storage and transport.

Sidewinder Specifications

- 210°F. maximum
- 2,000 to 4000 PSI
- 12 GPM maximum
- Cleans 200 sq. ft./minute
- 20" deck
- Weight: 19 lbs

1/4" 2503 nozzles
3/8" mpt plug on gun

Part	Product
5915	Model 105C floating
6701	Model 105C w/wheels
5916	Model 105F Floating
6702	Model 105F w/wheels
5917	Swivel Seal Kit

RP RABINE EQUIPMENT (586) 949-3320

Surface Cleaners



Save labor, fuel and water
Eliminate over spray and zebra striping
Trigger gun controlled cold or hot water
Balanced spray bar with 2 nozzles
Rebuildable swivel

Specifications:
Pressure: 4000 psi maximum
Flow: 10 gpm maximum
Temperature: 212°F. maximum
Speed: 2500 rpm maximum

The Original Classic

Leading flat surface cleaner in the pressure washer industry with Xenoy® ABS cover.



Cover: 19"
Handle: 77" long
Weight: 20 lbs
Detachable handle

1/4" 25025 nozzles included

Part	Item
4345	Classic
5324	Brush
5325	Swivel Assembly
4792	Seal Kit
5331	Spray Bar 2 Tip

Big Guy

28" diameter with aircraft aluminum cover, Big Guy is built for the big jobs



Cover: 28"
Handle: 44" long
Weight: 48 lbs
Tires: 10" pneumatic
Caster: 4"

1/4" 25025 nozzles included


Part	Item
5698	Big Guy
5937	Brush
5325	Swivel Assembly
4792	Seal Kit
4510	Spray Bar 2 Tip

Maxima Rotary Cleaner

Maxima's 36" diameter heavy duty aluminum cover provides maximum surface coverage. Four pivoting wheels allow operator to easily guide

1/4" 25025 nozzles included

Cover: 36"
Handle: 77" long
Weight: 37 lbs
Breakaway handle
Quick connection
Trigger gun controlled



Ships UPS oversized 3

Part	Item
6865	Maxima
4922	optional 4 tip bar

Ground Force

Flip and Fold




Cover: 24" aluminum
Handle: 60" long
Weight: 25 lbs

Part	Item
6715	Ground Force
5325	Swivel Assembly
4792	Seal Kit
3559	Spray Bar 2 Tip

Ultra Clean

with Wheels

Features:
Cover: 19" ABS
Handle: 43" long
Weight: 23 lbs
Casters: 3"
Flow: 6 gpm max
Temp: 185°F max



Part	Item
5473	Ultra Clean
3423	Swivel Assembly
5331	Spray Bar 2 Tip
4585	3" Caster
3558	Wheel Bracket

Ultra Clean

Hover Cover

Features:
Cover: 16" ABS
Handle: 43" long
Weight: 19 lbs
2" nylon brush
Flow: 6 gpm max
Temp: 185°F max



Part	Item
6717	Ultra Clean Hover
3423	Swivel Assembly



Swivel Conversion Kit

Mosmatic conversion kit is the solution for annoying swivel problems. Easily mount the conversion ring together with the adapter on your existing surface cleaner.

Convert most concrete cleaner swivels to a quality Mosmatic swivel in most cases for less than the cost of a replacement swivel assembly for your machine



Kit includes aluminum conversion ring, 1" stainless steel adaptor, and screws.



Part	Mos #	Size
6612	55.903	Conversion Kit

TKA Turbo Rotor Arms

Designed for use with water and cleaning additive at high RPM. Mosmatic Turbo rotors for use as a self-rotating unit on: Flat surface cleaners, Tire cleaner applicators, parts washers and undercarriage cleaners.

- Pressure: 4000 psi maximum
- Temperature: 250°F. maximum
- Stainless steel body and pipe
- Inlet: G3/8" F
- Outlet: 1/8" FPT
- Two arms
- Two 1/8" nozzles (sold separately)




Part	Mos #	Size
6493	82.811	16"
6494	82.812	18"
6495	82.813	20"
6918	82.814	22"
6919	82.815	24"

Professional Surface Cleaners Commercial Surface Cleaners

The perfect cleaners for any type of contractor and commercial work. Clean sidewalks, parking lots, tennis courts, shop floors, patios, or any other large surface. Features high RPM Mosmatic DYC swivel which guarantees long-lasting operation under tough conditions

- 4000PSI maximum
- 250°F maximum
- Relax action high pressure gun
- 2 Nozzle Rotor Arms
- 1/8" 1503 nozzles (2)



21" Hover

21" With Castors

Part	Mos #	Size
6863	80.770	21" Hover
6932	80.771	21" w/Castors



- 4000 PSI maximum
- 250°F maximum
- Relax action high pressure gun
- 30" spray wand and holder
- Height adjustable
- Stainless steel deck
- Mosmatic DYC swivel
- 2 1/4" castors
- 1/8" 1503 nozzles (2)

Height adjustment on each castor bracket guarantees efficient cleaning on any surface. Allow loose debris to be removed from under machine, preventing damage to the turbo arm.

Part	Mos #	Size
6933	80.774	21" 2 Rotor Arms
6934	80.775	30" 3 Rotor Arms

RP RABINE EQUIPMENT (586) 949-3320

Small Area Surface Cleaners



Compact, lightweight surface cleaner for cleaning small areas such as under equipment, walls, rest rooms, etc.

- 4 GPM maximum
- 3000 PSI maximum
- 210°F maximum
- Plastic cover
- 22mm connection
- 22mm extension
- 2 nozzles included



Part	Size
6917	12" with Castors



Multi-function, multi-task surface cleaner to clean brick walls, RV's, boats, stadium stairs, kennels, sidewalks, car wash walls, No flying debris guarantees a safe, clean work area.

Converts to wall cleaning unit in seconds.

Contractor duty Mosmatic DYP swivel with integrated toggle joint and adjustable tension system allows effortless cleaning on walls and angled surfaces



Features:

- Stainless steel deck
- Quick connect lance
- Relax action gun
- 2 rotor arms
- 2 1/8" nozzles (sold separately)
- 2500 PSI maximum
- 250°F maximum



Part	Mos #	Size
6930	78.262	12" Hover
6931	78.272	12" with Castors



Roof Cleaner

Premium MOSMATIC swivel ensures optimum performance under harsh conditions. Allows the operator to maneuver and lower the roof cleaner along the roof surface by using the high pressure hose and the safety cable. Height and width adjustable cleaner works for most common roof designs



Specifications:

- 3/8" FPT inlet
- 21" stainless steel housing
- 4000 PSI maximum
- 250°F maximum
- 2 spinner arms
- 2 x 1503 1/8" nozzles (not included)
- 7.7" to 9" height adjust
- 21.6" to 25.2" width adjust

- Swiveling hose connector
- Safety Eye for rope or cable
- Pressure gauge
- Ball valve for easy shut off

Part	Mos #	Size
6914	80.658	DR-520 Cleaner



Wash Booms

Quality components guarantee low maintenance. Self lubricated ball bearings. High quality swivels. Insulated high pressure hose. Polished stainless steel.

Standard Features:

- Swiveling adapter with side and top water inlet for easy installation
- Hose guard with integrated tension relief feature
- Two Mosmatic high pressure swivels
- Insulated high pressure hose
- Detailed installation instructions

Technical Specifications:

- Pressure maximum 4000 PSI
- Temperature maximum 200°F
- Inlet and outlet 3/8" FPT

Ceiling Boom DKZ

Self service car wash solution includes two patented Z-series ceiling booms that allow continuous 360° rotation for the high pressure wand and the foam brush.

High pressure wand is mounted on one side and the foam brush on the opposite wall of the wash bay.



Part	Mos No.	Bay Size	Boom Size
6694	65.019	15'	5'1"
6695	65.029	16'	5'5"
6704	65.039	17'	5'9"

Dual Ceiling Boom DDP

Self service car wash solution featuring a dual ceiling boom. Easy installation with a single mounting plate positioned in the center of the wash bay.

The high pressure wand features continuous and the foam brush limited 360° rotation for the car wash user. The high pressure wand and the foam brush are mounted on the same side of the bay.



Part	Mos No.	Boom Size
6797	67.419	5'3" to 5'9"
6798	67.439	6'3" to 6'9"
6799	67.459	7'5" to 8'2"